

Committee Members Present: S. Havn, B. Eastman, J. Kusters, J. Schneider, F. Risler

Committee Members Excused: Village Board Members Present:

Staff: T. Beyer, R. Pritzlaff, M. Benish, L. Weber, W. Hanson

Other: J. Johnson

- 1. Call to Order The Public Works Committee Meeting was called to order by B. Eastman at 9:00 am.
- 2. Adoption of Public Works Committee October 8, 2020 Meeting Minutes J. Schneider motioned to approve the October 8, 2020 meeting minutes as presented, J. Kusters seconded the motion. Motion carried 5-0.
- 3. Discussion and Action Public Street Acceptance The construction of eight streets in the Village are now complete and meet all Village standards. These streets include International Dr., Globe Dr., Red Cloud Dr., Dora Ln., Creek View Ln., Kae Ct., Megan's Way and Veranda Ln. F. Risler motioned to formally accept all roads in the Road Certification Report and recommends acceptance to the Mount Pleasant Village Board, J. Schneider seconded the motion. Motion carried 5-0.
- 4. Discussion and Action Final Refuse & Recycling Contract with GFL Environmental The Committee was presented with the contract and information for Refuse and Recycling from GFL Muskego, LLC, formerly Advanced Disposal. This will be a 5-year contract ending in December of 2025. The Commission addressed their concerns with some of the terminology in the contract. J. Johnson with GFL Environmental provided clarification on the price per additional cart. J. Schneider motioned to approve the contract from GFL Muskego, LLC as presented to the Committee with modifications to paragraph 3 and paragraph 10 as discussed and recommends approval to the Mount Pleasant Village Board, F. Risler seconded the motion. Motion carried 5-0.

5. Committee and Staff Reports

- R. Pritzlaff Hawk System Construction STH 11 & Pike River Trail Crossing The Hawk System is now complete and accessible for public use.
- **6. Adjourn** J. Schneider motioned to adjourn the Public Works Committee Meeting at 9:29 am, B. Eastman seconded the motion. Motion carried 5-0.